Hazard Classification: 6.9B, 9.1D

Safety Directions

Avoid contact with skin, eyes and clothing. Avoid inhalation of dust. Do not eat, drink or smoke while working. In addition to the measures taken usually in the chemical works like dustproof filling and measuring equipment (including dust extraction), further personal protection measures may have to be implemented to avoid possible contact with the product. Cyromazine possibly may affect blood and the hematopoietic system. Handle with care.

For advice contact the National Poisons Centre **0800** POISON (0800 764766) or a doctor immediately. If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water **Environmental Protection** Harmful to aquatic organisms. Avoid contamination of any water supply with product or empty container.

Emergency Response

In case of spillage, wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Dispose of waste safely.

Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Dispose of product away from waterways. Do NOT use container for any other purpose. *For further details see the Safety Data Sheet

ACTIVE INGREDIENT

LARVADEX 1% PREMIX contains 10 g/kg of cyromazine in the form of a water soluble powder.

GENERAL INFORMATION

LARVADEX 1% PREMIX, when blended into a laying poultry ration according to the "Directions For Use" given below, will control nuisance fly species which develop in manure.

KEEP OUT OF REACH OF CHILDREN



An Insecticide for Fly Control in Poultry Sheds Contains 10 g/kg of cyromazine

PLEASE READ LABEL COMPLETELY BEFORE USE

NET 30 kg



By law, the product must not be used on animals unless the use is approved as part of this registration.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New **Zealand (Maximum Residues Limits of** Agricultural Compounds) Food Standards.

DIRECTIONS FOR USE

Restrictions

If manure from poultry fed LARVADEX is applied to land that is used for growing food crops, particularly grain, finite crop residues may occur. To avoid illegal

- **DO NOT** apply manure to soil at rates > 4 dry tonnes/ha/year
- If supplying manure to a third party, ensure that they are made aware of this

Mixing directions

Mix 500 g of LARVADEX 1% PREMIX to each tonne of the birds' normal feed. Use a mixing process which will ensure that the product is evenly distributed through the feed. Begin using the treated feed when flies become active. Continue the treatment for 4-6 weeks or until the fly population is under control. Then revert to untreated feed until the flies build up again when use of treated feed should be resumed.

Any spillage of premix or of feed mixed with the premix should be cleaned up immediately, preferably by recovery and use in or as poultry feed.

Store in original container in a cool dry place, avoiding direct sunlight and temperatures above

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of

Elanco, Larvadex and the diagonal bar are trademarks owned or licensed by Eli Lilly and Company, its subsidiaries or affiliates.

Distributed by MainFeeds A division of MainFeeds Ltd 3 Redhills Road, Massey, Auckland, New Zealand. Freephone: 0508 624 633.

Registered pursuant to the ACVM Act 1997, No. P003267. See www.foodsafety.govt.nz for registration conditions.

Registered to Elanco Animal Health (Division of Eli Lilly and Company (NZ) Limited), Level 1, 123 Ormiston Road, Botany Junction, Auckland 2016.

Approved pursuant to the HSNO Act 1996, Approval Code: HSR000454.

See www.epa.govt.nz for approval conditions.

DATE OF MANUFACTURE:

BATCH No.:

EXPIRY:

